

## Index

<b>Description</b>	<b>Pg.</b>
Wooden Bathboard	5
Raised Bathboard	5
Plastic Bathboard	5
Bathstool - with Back	5
Bathstool - without Back	6
Shampoo Tray	6
Tub Transfer Bench - Unpadded	6
Tub Transfer Bench - Padded	6
Tub Transfer Bench Extension Leg	7
Tub Grab Bar	7
Toilet Seat Raised with Arms	7
Toilet Seat 5" Bubble	8
Raised Toilet Seat 2", 4" and 6"	8
Toilet Seat Elevator	8
Stationary Commode	8
Stationary Commode with Drop Arms	9
Wheeled Commode - Not Adjustable	9
Pediatric Commode	9
Shower Commode	9
Versaframe	10
Versamode	10
Transfer Boards	11
Transfer Belts	11
Patient Lift - Portable with Slings	11
Sling	11
Transfer Disc	12
Manual Bed with Rails	12
Bed Rail - Under Mattress	12
Bed Rail - Arco	12
Bed Rail - Stuben	13
Electric Bed with Rails	13

## Index

<b>Description</b>	<b>Pg.</b>
Alternating Pressure Pump & Mattress	13
Guard Rail Pads	13
Action Gel Mattress	14
Furniture Risers	14
Action Gel Pad	14
Vitacare V4 Mattress	14
Sentech Pressure Relief Mattress System	15
IV Pole for Feeding Pump	15
Trapeze - Clamp on and free style	15
ROHO Mattress Section	16
ROHO Leveler Pad	16
ROHO Seat Cushion	16
Kangaroo Pump & I.V. Pole	16
Nebulizer / Compressor & Aero Kit	17
Over Bed Table	17
Transfer Pole - Floor to Ceiling	17
Transfer Pole - Horizontal Bar	17
T.E.N.S. Unit	18
Neuromuscular Stimulator & Electrodes	18
Jobst Extremity Pump	18
Bed Cradle	18
Accuhealth Machine	19
Kangaroo Pump & Access - Portable	19
Select Flow Feeding Pump & Accessories	19
Crutch - Forearm	20
Cane - Quad	20
Gutter Arthritic Crutch	20
Aluminum Crutches	20
Walker - Folding	21
Walker - Folding with Fixed Wheels	21
Walker - Fixed Wheels with Autostop	21

## Index

<b>Description</b>	<b>Pg.</b>
Walker with Swivel Wheels	21
Walker with Swivel Wheels & Autostop	22
Walker Hi-Padded / Platform Adjustable	22
Child & Toddler Folding Walker	22
Walker Skis	23
Court-side Glides	23
Walker Clamp on Forearm Support	23
Forearm Attachments for Rollator Walkers	23
Amputee Board	24
Type 2 & 3 Rollators	24
Wheelchair with Fixed Arms	24
Wheelchair with Removable Arms	24
Wheelchair with Elevated Leg Rests	25
Wheelchair - Light-weight	25
Wheelchair Recliner	25
Heavy Duty Wheelchair	25
Transport / Companion Chair	26
Foam Seat Cushion	26
Foam Seat Cushion for Pediatric Wheelchair	26
Wheelchair Lap Tray	26
Half Lap - Wheelchair Tray	26
Wheelchair Lap Tray for Pediatric Wheelchair	27
10' Modular Ramp System	27
Wheelchair Ramp	27
Delivery Charge	27

## Index

	Pages:
<b>Bathroom Aids</b>	<b>5-10</b>
<b>Bathboards and Benches</b>	
<b>Tub Clamps and Seats</b>	
<b>Commodes and Shower chairs</b>	
<b>Versaframe and Versamode</b>	
<b>Sickroom Aids</b>	<b>11-19</b>
<b>Transfer boards, Slings and Discs</b>	
<b>Bedrails</b>	
<b>Beds and Mattresses</b>	
<b>Accessories</b>	
<b>Mobility Aids</b>	<b>20-27</b>
<b>Canes and Crutches</b>	
<b>Walkers and Accessories</b>	
<b>Rollators</b>	
<b>Wheelchairs and Accessories</b>	
<b>Ramps</b>	

**Wooden Bathboard**

Lightweight and adjustable to various tub widths. Built in water drainage.  
200 lbs weight bearing capacity.  
Should allow a minimum of 1" on wall side of tub, preferably 2".  
Specify outside width of tub.

**Raised Bathboard**

Lightweight and adjustable to various tub widths. Built in water drainage.  
200lbs weight bearing capacity.  
4" maximum raise. Should allow a minimum of 1" on wall side of tub, preferably 2".  
Specify width of tub.

**Plastic Bathboard**

Lightweight and adjustable to various tub widths. Built in water drainage.  
300lbs weight bearing capacity.  
Should allow a minimum of 1" on wall side of tub, preferably 2".  
Specify width of tub.

**Bathstool with Back**

Adjustable seat height 14-20 inches.  
Anodized aluminum frame.  
250lbs weight bearing capacity.  
Depth 17" Width 20" Please specify if suction cup feet are required.



**Bathstool - without Back**

Adjustable seat height 14-20 inches.  
Anodized aluminum frame.  
250lbs weight bearing capacity.

**Shampoo Tray**

Inflatable tray. Can be used while client is in bed. Plastic trays available (used more for wheelchairs)

**Tub Transfer Bench - Unpadded**

400 lbs. weight bearing capacity.  
One piece textured top. Height adjustable: 18" - 22". Specify bathtub taps on left or right when facing tub.  
Extension legs **not** available.  
Heavy duty available on request.

**Tub Transfer Bench - Padded**

300lbs weight bearing capacity. Please specify if suction cup feet are required.  
Extension legs available. Specify bathtub taps on left or right when facing tub.



**Tub Transfer Bench Extension Leg**

Only available for padded transfer bench.

**Tub Grab Bar**

Overall height 21.5", height above tub 16.5". Not suitable for fibre glass or jacuzzi style tubs. Please specify tall, standard or suction mount.

Note: Suction mount best choice for claw tubs.

**Toilet Seat Raised With Arms**

Height 5.5", single front lock with arms. 250lbs weight bearing capacity. Width between arms 18.5". Width of seat including arms 20.5".



**Toilet Seat 5" Bubble**

Height 5.5", single front lock without arms. 250lbs weight bearing capacity

**Raised Toilet Seat**

Single front lock without arms. 250lbs weight bearing capacity. Please specify 2", 4" or 6".

**Toilet Seat Elevator**

Height 3". Please check bolts for toilet seat. They must be able to be unscrewed to install seat.

**Stationary Commode**

Width between arms 18". Seat to floor height adjustment 16"-22". Fixed arms. Specify pail or splash guard. Width between arms 20". Width of chair 21". Please specify height required. Option of pail to be paid by client. Weight capacity 250 lbs. \*Extra wide commode available. Weight capacity 600 lbs.



**Stationary Commode With Drop Arms**

Adjustable non-wheeled commode with drop arm. Specify pail or splash guard. Seat width 18" with arms raised. Seat to floor height 16" - 22". Please specify height required.  
Option of pail to be paid by client.

**Wheeled Commode - Not Adjustable**

Wheels over toilet. With brakes on diagonal wheels, seat width 18", overall width 21.5". Specify pail or splash guard. Seat to floor height 21".  
Option of pail to be paid by client.

**Pediatric Commode**

Adjustable wheeled commode. Tilt and angle adjustments available.  
Adjustable footrests.  
Option of pail to be paid by client.

**Shower Commode**

With wheels. Has a material back. Only used in showers. Not adjustable. Specify if pail required.  
Option of pail to be paid by client.



**Versaframe**

May not fit new style toilets. Adjustable height and width between arms. Please check bolts for toilet seat. They must be able to be unscrewed to install seat.

**Versamode**

Fits most toilets. Width between arms 20". Option if raised toilet seat with arms not suitable. Width of versamode 21". Seat to floor height adjusts 16" - 22". Option of pail to be paid by client.



**Transfer Boards**

Sizes range from 24" - 30"  
Please specify size.

**Transfer Belt**

Available in 3 sizes small, medium and large.  
Used to transfer residence that can bear weight.

**Patient Lift - Portable with Slings**

400lbs weight bearing capacity. Spreader bar for access around furniture and wheelchairs (base widens). Must specify size and kind of sling. Sling is supplied with lift. Please specify weight of client. Base height 9". Base length 6'5"

**Sling**

Comes with lift, however can be ordered separately.  
S, M, L available. Sling weight capacity 600lbs.  
Types of slings (approximate sling width at hip measurement)

Hammock  
S - 27.5" wide  
M - 30.5" wide  
L - 34.5" wide

Universal  
S - 34.5" wide  
M - 38.5" wide  
L - 45" wide



General tips for choosing the correct sling size:

- A medium sling will fit most people
- Small is best for pediatric and youth clients
- Large is generally best suited to people with extra-large girth and shoulder widths

**Transfer Disc**

Full diameter is 12" or 15".  
Please specify size.

**Manual Bed with Rails**

Wheeled with brakes. Adjusts upper body, knee and height. Single mattress included. Split rails available.

**Electric Bed with Rails**

Client may pay for upgrade to electric if criteria not met. Split rails available.


**Bed Rail - Under Mattress**

For client's own bed. 1 pair. For use with home or dormitory style beds; fits between mattress and box spring. Fits most twin, single and double beds. Not to be used for support purposes.



**Bed Rail - Arco**

Must have steel frame to install. Available for home style bed or hospital bed. Please specify bed type.

**Bed Rail - Stuben**

Small assist rail to provide assistance for bed transfers. Note: Product is not mounted to the bed and will not support all clients.

**Alternating Pressure Pump and Mattress**

Compact and light weight.  
Vinyl covered mattress with alternating pump.  
Provides minimal pressure relief.

**Guard Rail Pads**

Padded posey pads to narrow gap between mattress and bedrail.



**Action Gel Mattress**

Pressure mattress.  
Please specify full or 3/4 size.

**Furniture Risers**

Must specify small or large openings.  
Must specify size needed.  
Specify how many.  
May not be safe in some situations.

**Action Gel Pad**

Need to specify size 16" or 18"

**Vitacare V4 Mattress**

ROHO mattress inserts into centre of V4 mattress. ROHO section is ordered separately.



**Pressure Relief Mattress System**

Alternating Pressure and Low Air Loss Mattress. Includes weekly laundering of cover. Best suited for hospital bed or Craftmatic single bed. Please indicate contact information to coordinate transfer of client for mattress cover change.

**IV Pole for Feeding Pump**

Comes with feeding pump. Charge applies only if IV pole ordered without feeding pump.

**Trapeze**

Free standing or clamp on. Must be 8" - 10" clearance between head of bed and wall. Please specify type.



*clamp on*



*free style*

**ROHO Mattress Section**

Need 4 sections to complete one bed.  
Please specify how many ROHOs and levelers and what part of body ROHOs are required for. Comes with pump.

**ROHO Leveler Pad**

Please specify how many required.

**ROHO Seat Cushion**

16" or 18" available.  
Comes with hand pump.  
Specify size needed.

**Kangaroo Pump and I.V. Pole**

Specify size and quantity of containers.  
Specify if IV pole is required.  
600 ml and 1200 ml containers available.  
Gravity ice bags available (1000 ml).



**Nebulizer/Compressor & Aero Kit**

Specify adult or child mask.

**Over Bed Table**

Standard, adjustable.

**Transfer Pole - Floor to Ceiling**

Regular 8' height - Max. 10' height.  
Specify floor to ceiling height.  
Not suitable for soft, stucco, sloped  
or dropped ceilings.

**Transfer Pole - Horizontal Bar**

Please specify if horizontal bar required.



**T.E.N.S. Unit**

Includes: 1 pkg reusable electrodes, 2 lead wires, 1 charger and 2 each 7.2 rechargeable batteries, and instructions. Specify size of electrodes.

**Neuromuscular Stimulator & Electrodes**

Comes complete with 1 pkg reusable electrodes, 4 per package, 2 lead wires, 1 charger and 2 each 7.2 rechargeable batteries. Please specify small or large electrodes.

**Jobst Extremity Pump**

Must specify arm and/or leg length. Comes with instruction manual.

**Bed Cradle (Sheet Support)**

Lightweight aluminum frame. Insert between mattress and box spring. Keeps weight of blanket off feet.



**Accuhealth Machine**

Comes with instruction booklet.

**Kangaroo Pump & Accessories - Portable**

Portable pump comes with IV poles and containers. Specify size of containers and how many.

\*Please refer to instruction manual for proper usage.

**Select Flow Feeding Pump & Accessories**

500ml and 1000ml available. Only 500ml fit the baggie cage.

\*Please refer to instruction manual for proper usage.



**Crutch - Forearm**

Suitable for 5'5" to 6'4"  
Please specify height required.

**Cane - Quad**

Height adjustable.  
Please specify left or right handle.  
Reversible base. 29" - 38"  
Small Base or Large.

**Gutter Arthritic Crutch**

Height adjustable 42" to 51".  
Please specify height required.  
Weight capacity 250lbs.

**Aluminum Crutches**

Single - Aluminum:  
Small: 4'6" - 5'2"  
Medium: 5'1" - 5'9"  
Large: 5'10" - 6'6"

Wooden crutches available for children  
2 sizes available:

3'11" - 4'7"  
4'4" - 5'



Please specify height required.

**Walker - Folding**

Without wheels.

Adult height from 33" - 37"

Junior height from 29" - 33"

Specify handle height or height of client.

Please specify if non-folding walker required.

\*Heavy Duty available for weight capacity to 400lbs.

**Walker - Folding with Fixed Wheels**

Specify handle height or height of client.

\*Heavy Duty available for weight capacity to 300lbs.

**Walker - Fixed Wheels with AutoStop**

Specify handle height or height of client.

\*Heavy Duty available for weight capacity to 300lbs.

**Walker with Swivel Wheels**

Specify handle height or height of client.

\*Heavy Duty available for weight capacity to 300lbs.



**Walker with Swivel Wheels and Autostop**

Specify 3" or 5" back brakes.  
Specify handle height or height of client.

\*Heavy Duty available for weight capacity to 300lbs.

**Walker Hi-Padded/Platform Adjustable**

Specify handle height or height of client.  
Weight capacity to 330 lbs.

**Child and Toddler Folding Walker**

The toddler walker adjusts from 20" to 24" to accommodate children 3'4" - 4' tall.  
175 weight bearing capacity.  
Width between hands is 10 3/4".

The child walker adjusts from 24" to 28" and works best for children 4'-4'8" tall.  
200 lbs weight bearing capacity.  
Width between hands is 12 3/4"



**Walker Skis (Rear Mounted)**

or

**Court-side Glides**

To use on walkers with front wheels.

**Walker Clamp on Forearm Support**

Can be attached to folding aluminum walkers only. Please note - cannot be attached to rollators. Please specify handle height of walker.

**Forearm Attachments for Rollator Walkers**

Can be used with Evolution or Invacare Rollator walkers. Please specify handle height of walker. Weight capacity 250 lbs.



**Amputee Board**

Single or double available.  
Please specify size.  
Please specify right or left.  
Cushion ordered separately.

**Type 2 & 3 Rollator**

Specify Type 2 or 3 Rollator.  
Specify handle height.  
Seats not adjustable.  
Weight capacity 250 lbs.

**Wheelchair with Fixed Arms**

16", 18", 20" available.  
Available in elevating or regular footrests.  
Specify hemi height.  
Weight of chair is approximately 35 - 40 lbs.  
Weight capacity 300 lbs.

**Wheelchair with Removable Arms**

16", 18", 20" available.  
Available in elevating or regular footrests.  
Specify hemi height.  
Weight of chair is approximately 35 - 40 lbs.



**Wheelchair with Elevated Leg Rests**

16", 18", 20" available.  
Available in elevating or regular footrests.  
Specify fixed or removable arms.  
Specify hemi height.  
Weight of chair is approximately 35 - 40 lbs.

**Wheelchair - Lightweight**

Adult light weight 16" to 18" available.  
Regular legs only available.  
Weight of chair is approximately 25 lbs.  
(Regular chair weighs 35 - 40lbs)



Pediatric wheelchair available  
14" tilt and recline.  
Comes with elevating leg rests.

**Wheelchair Recliner**

16", 18" and 20" available.  
Available with head support and anti-tippers.  
Weight of chair is approximately 300lbs.

**Heavy Duty Wheelchair**

Only available in 22" x 18".  
Weight capacity up to 450lbs.



**Transport/Companion Chair**

Only available in 19".  
No elevating leg rests.  
Weight of chair is 11 lbs.

**Foam Seat Cushion**

Foam cushion. 16" or 18" available.  
2" and 3" thickness available.  
Please specify size  
and thickness.

**Foam Seat Cushion for Pediatric Wheelchair**

Available for 12" or 14" wheelchairs.  
Specify wheelchair size.

**Wheelchair Lap Tray**

Can be attached to most wheelchairs.  
Please specify wheelchair size.

**Half Lap - Wheelchair Tray**

Attached to most wheelchairs.  
Please specify Left or Right side.




**Wheelchair Lap Tray for Pediatric Wheelchair**

Available for 12" or 14" wheelchairs.  
Specify wheelchair size.

**10' Modular Ramp System**

*(Minimum of 13' of clear run is required to use this ramp.)*

For outdoor use only.  
All aluminum design with handrails.  
Anti-skid surface.  
Weight bearing capacity is 850 lbs.  
Installation required.



Information required:  
height of porch; distance from porch to public walkways or driveway; are there railings or obstructions in the way; is the back entrance an option.

**Wheelchair Ramp**

Specify size 6', 8' or 10'.

\* For indoor use only

**Delivery Charge**

See inside cover for details.